



## UTILIZATION OF HETEROSESIS FOR GRAIN YIELD AND ITS COMPONENTS IN MAIZE INBREDS OVER ENVIRONMENTS (*ZEA MAYS L.*)

<sup>a</sup>Varaprasad, B.V. & <sup>b</sup>Shivani, D.

<sup>a</sup>Agricultural Research Station, MADHIRA

<sup>b</sup>Professor Jayashankar Telangana State Agricultural University

\* Corresponding Author e-mail: rishith\_sree@rediffmail.com

### ABSTRACT

The experiment was carried out at Agricultural Research Station Madhira during *rabi*, 2012-13. Selected 15 diverse inbred lines were crossed with 4 testers in line x tester (L x T) mating design to obtain 60 cross combinations. During *kharif* 2013, a set of 60 crosses along with 19 parents and three checks *viz.*, DHM-117, 30 V 92 and 900 M Gold were sown in randomized block design replicated thrice over three locations *viz.*, Heterosis was estimated in 60 hybrids for these characters at three locations *viz.*, Tandur, Warangal and Madhira and pooled analysis was carried out and expressed as heterosis over mid parent, superior parent and standard checks *viz.*, DHM 117, 30 V 92 and 900 M Gold.

**KEYWORDS:** cross combinations, *kharif*, heterosis.

### INTRODUCTION

Maize (*Zea mays L.*) is the world's most widely grown cereal and is the primary staple food in many developing countries. It is a versatile crop with wider genetic variability and able to grow successfully throughout the world covering tropical, subtropical and temperate agro-climatic conditions. Maize acreage and production have an increasing tendency with the introduction of hybrids due to its high yield potential. The utilization of hybrid vigour in practical breeding has had greatest success in maize. The essential feature of the breeding technique is the evaluation of combining ability of inbred lines. Hybrid seed is produced by combining the appropriate lines in single, double and other crosses. The theoretical possibility of obtaining a homozygous line equal in vigour to the best hybrids appears to be beyond reach because of the large number of dominant vigour genes involved. This fact diverts current attention toward improvement in technique directed toward cheaper production of hybrid seed.

### MATERIAL & METHODS

The experiment was carried out at Agricultural Research Station Madhira during *rabi*, 2012-13. Selected 15 diverse inbred lines were crossed with 4 testers in line x tester (L x T) mating design to obtain 60 cross combinations. During *kharif* 2013, a set of 60 crosses along with 19 parents and three checks *viz.*, DHM-117, 30 V 92 and 900 M Gold were sown in randomized block design replicated thrice over three locations *viz.*, Agricultural Research Station, Madhira, Khammam district, Agricultural Research Station, Tandur, Ranga Reddy district and Regional Agricultural Research Station, Warangal. Each entry was sown in a row of 5 m length with a spacing of 75 cm between rows and 20 cm between the plants. The recommended fertilizers of N, P and K were applied in the ratio of 120 : 80 : 60 kg ha<sup>-1</sup>. The entire P and K and half

dose of nitrogen was applied as basal, while remaining half dose of N in two equal split doses at knee height and tasseling stages. Intercultural operations like weeding and irrigation schedules were followed. Necessary plant protection measures were taken to protect the crop from pests and diseases so as to raise a healthy crop.

### RESULT & DISCUSSION

Observations on 11 different quantitative characters *viz.*, days to 50 per cent tasseling, days to 50 per cent silking, days to maturity, plant height (cm), ear height (cm), ear length (cm), ear girth (cm), number of kernel rows per ear, number of kernels per row, 100 - seed weight (g), and grain yield per plant (g) were recorded on five random plants except for days to 50 per cent tasseling, days to 50 per cent silking and days to maturity. Heterosis was estimated in 60 hybrids for these characters at three locations *viz.*, Tandur, Warangal and Madhira and pooled analysis was carried out and expressed as heterosis over mid parent, superior parent and standard checks *viz.*, DHM 117, 30 V 92 and 900 M Gold.

In pooled analysis, for days to 50 per cent tasseling 47 hybrids recorded significant average negative relative heterosis, ranging from -17.21 (MRC 1544 X BML 14) to 6.86 per cent (MRC 1176 X BML 13). The significant negative heterobeltiosis was recorded in 56 hybrids which, ranged from -23.19 (MRC 1544 X BML 14) to 0.41 per cent (MRC 1123 X BML 13).

While for days to 50 per cent silking, 45 hybrids recorded significant relative heterosis, ranging from -16.50 (MRC 1544 X BML 14) to 6.57 per cent (MRC 1176 X BML 13). The standard heterosis over DHM-117, 30 V 92 and 900 M Gold ranged from -16.02 (MRC 1544 X BML 14) to 1.37 per cent (MRC 1604 X BML 13), -17.47 (MRC 1544 X BML 14) to -0.38 per cent (MRC 1604 X BML 13) and -19.32 (MRC 1544 X BML 14) to -2.63 per cent (MRC 1604 X BML 13) respectively. Forty six, 48 and 41

hybrids recorded negatively significant standard heterosis over DHM-117, 30 V 92 and 900 M Gold, respectively for days to maturity (Table 1).

Days to 50 per cent tasseling, days to 50 per cent silking and days to maturity indicate the earliness of a genotype. Earliness is a desirable character as it useful in multiple cropping and increases water and land use efficiency. Heterosis for earliness in maize was also reported by Sadaiah *et al.* (2013) and Tajwar Izhar and Chakraborty (2013).

Significant positive relative heterosis was recorded for plant height in 60 hybrids which ranged from -6.80 (MRC 1179 X BML 13) to 101.73 per cent (MRC 1604 X BML 7) while significant positive heterobeltiosis was recorded in 57 hybrids with a range of -4.57 (MRC 1179 X BML 13) to 59.79 per cent (MRC 1358 X BML 13) (Table 2). These results are in agreement with the earlier findings of Kumar Bupesh *et al.* (2013), Rajesh *et al.* (2014) and Rajitha *et al.* (2014).

Sixty hybrids recorded positive significant relative heterosis with a range of 12.59 (MRC 1176 X BML 5) to 68.66 per cent (MRC 1123 X BML 13) for ear length while significant heterobeltiosis was recorded in 35 hybrids with a range of -12.80 (MRC 1176 X BML 14) to 46.61 per cent (MRC 1358 X BML 13). Significant standard heterosis was recorded in twelve hybrids over DHM-117 with a range of -12.99 (MRC 1601 X BML 14) to 18.83 per cent (MRC 1123 X BML 13), while over 30 V 92 check four hybrids recorded significant positive standard heterosis with a range of -15.72 (MRC 1601 X BML 14) to 15.09 per cent (MRC 1123 X BML 13). Positive significant relative heterosis and heterobeltiosis for ear length was also reported by Patil *et al.* (2012) and Rajesh *et al.* (2014).

The character number of kernel rows per ear recorded positive significant average heterosis in 58 hybrids and positive significant heterobeltiosis in 42 hybrids. Positive significant standard heterosis was observed in three hybrids ranging from -16.90 (MRC 1176 X BML 14) to 8.45 per cent (MRC 1601 X BML 7) when compared with check DHM-117. Sixty hybrids recorded positive significant relative heterosis for number of kernels per row with a range of 22.25 (MRC 1601 X BML 14) to 137.19 per cent (MRC 1209 X BML 7). The significant standard heterosis was recorded in 9 hybrids over DHM-117 and it ranged from -24.13 (MRC 1601 X BML 14) to 19.05 per cent (MRC 1561 X BML 5), while over 30 V 92 check, seven hybrids recorded significant positive standard heterosis with a range of -24.61 (MRC 1601 X BML 14) to 18.30 per cent (MRC 1561 X BML 5) for this trait. Positive heterosis estimation for number of kernels per row was also reported by Netra Hiremath *et al.* (2013) and Rajesh *et al.* (2014).

100-seed weight recorded positive significant relative heterosis in 20 hybrids which ranged from -18.25 (MRC 1176 X BML 14) to 34.75 per cent (MRC 1358 X BML 13) while positive significant standard heterosis was observed in 12 hybrids ranging from -18.90 (MRC 1176 X BML 14) to 14.96 (MRC 1123 X BML 13) over DHM-117, from -15.23 (MRC 1176 X BML 14) to 20.16 (MRC 1123 X BML 13) over 30 V 92 and -8.04 (MRC 1176 X BML 14) to 30.36 (MRC 1123 X BML 13) over 900 M

Gold (Table 3). Kumar Bupesh *et al.* (2013) and Rajitha *et al.* (2014) also reported significant positive heterosis for 100-seed weight. Most of the hybrids exhibited significant positive relative heterosis and heterobeltiosis at all the three locations for grain yield per plant. In pooled analysis, 60 hybrids recorded significant positive relative heterosis ranging from 27.30 (MRC 1582 X BML 7) to 181.02 per cent (MRC 1358 X BML 13) and positive significant heterobeltiosis ranging from -11.67 (MRC 1179 X BML 14) to 106.20 per cent (MRC 1358 X BML 13). Significant standard heterosis over DHM-117 ranged from -15.57 (MRC 1179 X BML 14) to 32.87 per cent (MRC 1123 X BML 13), while over 30 V 92, it ranged from -11.19 (MRC 1179 X BML 14) to 39.76 per cent (MRC 1123 X BML 13) and -6.24 (MRC 1179 X BML 14) to 47.55 per cent (MRC 1123 X BML 13) over 900 M Gold. Positive heterosis for grain yield per plant was also reported by Sandeep Kumar and Mohan Reddy (2013) and Rajesh *et al.* (2014).

The highest standard heterosis for grain yield per plant was recorded for hybrids, MRC 1123 X BML 13, MRC 1358 X BML 13, MRC 1123 X BML 14, MRC 1123 X BML 7 and MRC 1176 X BML 7 along with *per se*, average heterosis, heterobeltiosis and with high *sca* effects. These hybrids may be further exploited in multilocation evaluation before releasing them for commercial cultivation.

## REFERENCES

- Kumar Bupesh, Razdan A.K., Gupta B.B. (2013) Heterosis and character association for grain yield and its component traits in single cross maize hybrids under mid hills of Jammu and Kashmir, India. 33 (3):198-202.
- Netra Hiremath (2013) Heterosis Breeding for Maturity, Yield and Quality Characters in Maize (*Zea mays L.*), *Molecular Plant Breeding*. 4(6): 44-49.
- Patil, A.E., Charjan, S.U., Patil, S.R., Udasi, R.N., Puttarwar, M.R and Palkar, A.B. (2012) Studies on heterosis and combining ability analysis in maize (*Zea mays L.*). *Journal of Soils and Crops*. 22 (1): 129-138.
- Rajesh, V., Sudheer Kumar, S., Narsimha Reddy, V and Siva sankar A. (2014) Heterosis studies for grain yield and its component traits in single cross hybrids of maize (*zea mays l.*). *International Journal of Plant, Animal and Environmental Sciences*. 4(1):304-306.
- Rajitha, A., Ratna Babu, D., Lal Ahamed, M and Srinivasa Rao, V. (2014) Heterosis and combining ability for grain yield and yield component traits in maize (*Zea mays L.*). *Electronic Journal of Plant Breeding*. 5(3): 378-384.
- Sadaiah, K., Narsimha Reddy, V and Sudheer Kumar, S. (2013) Heterosis and Combining ability Studies for Sugar content in Sweet corn (*Zea mays saccharata L.*). *International Journal of Scientific and Research Publications*. 3(3): 1-5.
- Sandeep Kumar, T and Mohan Reddy, D. (2013) Heterosis and Combining Ability Estimates for Yield and Yield Components in Maize (*Zea mays L.*). *International*

*Journal of Biotechnology and Bioengineering Research.* 4(5): 509-510.

Tajwar Izhar and Chakraborty, M. (2013) Combining ability and heterosis for grain yield and its components in

maize inbreds over environments (*Zea mays* L.). *African Journal of Agriculture Research.* 8(25): 3276-3280.

Heterosis for grain yield and its components in maize inbreds over environments

TABLE 1: Estimates of heterosis, heterobeltiosis and standard heterosis pooled over locations for days to 50 % tasseling, days 50 % silking and days to maturity in maize

Cross	Days to 50% tasseling						Days to 50% silking						Days to maturity					
	Heterosis			Hetero beltiosis			DH-M17			Standard heterosis			DH-M17			Standard heterosis		
	MRC112 X BML5	-1225 **	-19.37 **	-9.52 **	-11.72 **	-13.81 **	-12.11 **	-18.84 **	-9.96 **	-11.52 **	-13.51 **	-4.45 **	-8.07 **	-4.39 **	-4.74 **	-3.66 **		
MRC112 X BML7	-4.50 **	-10.88 **	-3.31 **	-5.66 **	-7.89 **	-5.32 **	-11.41 **	-4.49 **	-6.14 **	-8.26 **	-9.51 **	-1.00	-1.37	-0.25	-0.25	-1.77 *		
MRC112 X BML13	1.07	-1.87	2.07	-4.44 **	6.71 **	0.61	-2.16	-2.73 *	-4.41 **	6.57 **	-2.69 **	-6.49 **	-2.51 **	-2.87 **	-1.77 *	-5.93 **		
MRC112 X BML14	-14.49 **	-20.34 **	-13.25 **	-15.35 **	-17.36 **	-13.73 **	-19.35 **	-12.89 **	-14.4 **	-16.32 **	-17.91 **	-12.46 **	-6.64 **	-6.99 **	-5.93 **	-5.93 **		
MRC1123 X BML5	-7.98 **	-14.94 **	-4.55 **	-6.87 **	-9.07 **	-7.87 **	-14.44 **	-5.08 **	-6.72 **	-8.82 **	-3.42 **	-6.39 **	-2.63 **	-3.00 **	-1.89 *			
MRC1123 X BML7	-5.28 **	-11.07 **	-3.52 **	-5.86 **	-8.09 **	-5.1 **	-10.69 **	-3.71 **	-5.37 **	-7.50 **	-4.00 **	-9.16 **	-1.00	-1.00	-0.13	-0.13		
MRC1123 X BML13	2.76 *	0.41	0.21	-2.22	-4.54 **	2.01	0.20	-0.78	-2.50 *	-4.69 **	-3.41 **	-6.49 **	-2.51 **	-2.87 **	-1.77 *	-1.77 *		
MRC1123 X BML14	-9.74 **	-15.40 **	-7.87 **	-10.10 **	-12.23 **	-9.62 **	-10.10 **	-8.20 **	-9.79 **	-11.82 **	-6.87 **	-10.81 **	-4.89 **	-5.24 **	-4.17 **	-4.17 **		
MRC1176 X BML5	-2.07 *	-12.92 **	-2.28	-4.65 **	-6.90 **	-1.96	-12.15 **	-2.54 *	-4.22 **	-6.38 **	-0.26	-7.11 **	-3.38 **	-3.75 **	-2.65 **	-2.65 **		
MRC1176 X BML7	3.38 **	-6.68 **	1.24	-1.21	-3.55 **	-2.40 *	-7.07 **	0.20	-1.54	-3.75 **	-0.31	-9.28 **	-0.75	-1.12	0.00	-1.39		
MRC1176 X BML13	6.88 **	0.21	0.00	-2.42 *	-4.73 **	6.57 **	0.39	-0.20	-1.92	-4.13 **	2.71 **	-4.45 **	-0.38	-0.75	0.38	-0.38		
MRC1176 X BML14	-4.22 **	-13.69 **	-6.00 **	-8.28 **	-10.45 **	-4.09 **	-13.02 **	-6.05 **	-7.68 **	-9.76 **	-4.28 **	-6.02 **	-6.37 **	-5.30 **	-5.30 **	-5.30 **		
MRC1209 X BML5	-8.05 **	-15.68 **	-5.38 **	-7.88 **	-9.86 **	-7.93 **	-15.14 **	-5.86 **	-9.57 **	0.13	-6.99 **	-3.26 **	-3.62 **	-2.53 **	-2.53 **	-2.53 **		
MRC1179 X BML7	-3.48 **	-10.11 **	-2.48 *	-4.85 **	-7.10 **	-4.17 **	-10.51 **	-3.52 **	-5.18 **	-7.32 **	-0.44	-9.62 **	-1.13	-1.50	-0.38	-1.39		
MRC1179 X BML13	-0.86	-3.94 **	4.14 **	-6.46 **	-8.68 **	-1.21	-4.13 **	-4.69 **	-6.33 **	-8.44 **	1.17	-6.13 **	-2.13 *	-2.50 **	-1.39	-1.39		
MRC1179 X BML14	-10.22 **	-16.54 **	-9.11 **	-11.31 **	-13.41 **	-9.88 **	-15.91 **	-9.18 **	-10.75 **	-12.76 **	-3.52 **	-11.4 **	-5.51 **	-5.87 **	-4.80 **	-4.80 **		
MRC1209 X BML7	-1.01 **	-14.58 **	4.14 **	-6.46 **	-8.68 **	-9.61 **	-13.91 **	-11.4 **	-14.49 **	-18.26 **	-7.45 **	-8.67 **	-5.01 **	-5.37 **	-4.29 **	-4.29 **		
MRC1209 X BML13	-8.21 **	-11.45 **	-3.93 **	-6.26 **	-8.48 **	-7.88 **	-11.05 **	-4.10 **	-7.88 **	-11.76 **	-4.10 **	-11 **	-2.63 **	-3.00 **	-1.89 *	-1.89 *		
MRC1209 X BML14	-5.68 **	-6.16 **	-3.98 **	-7.88 **	-9.88 **	-5.57 **	-6.03 **	-5.66 **	-7.29 **	-9.38 **	-5.12 **	-6.49 **	-2.51 **	-2.87 **	-1.77 *	-1.77 *		
MRC1209 X BML17	-12.14 **	-15.40 **	-7.87 **	-10.10 **	-12.23 **	-11.9 **	-15.01 **	-8.20 **	-9.79 **	-11.82 **	-10.55 **	-12.81 **	-7.02 **	-7.37 **	-6.31 **	-6.31 **		
MRC1271 X BML5	-11.25 **	-19.19 **	-9.32 **	-11.52 **	-13.61 **	-11.24 **	-18.66 **	-9.77 **	-11.32 **	-13.32 **	-4.25 **	-7.71 **	-4.01 **	-4.37 **	-3.28 **	-3.28 **		
MRC1271 X BML7	-5.47 **	-12.60 **	-5.18 **	-7.47 **	-9.66 **	-5.56 **	-12.32 **	-5.47 **	-7.10 **	-9.19 **	-7.85 **	-13.29 **	-5.14 **	-5.49 **	-4.42 **	-4.42 **		
MRC1271 X BML13	-2.27 *	-6.02 **	-6.21 **	-8.48 **	-10.65 **	-2.44 *	-5.89 **	-6.45 **	-8.06 **	-10.13 **	-3.87 **	-7.45 **	-3.51 **	-3.87 **	-2.78 **	-2.78 **		
MRC1271 X BML14	-13.49 **	-20.15 **	-15.04 **	-17.16 **	-19.36 **	-13.06 **	-18.89 **	-16.40 **	-17.59 **	-19.39 **	-16.32 **	-17.59 **	-6.14 **	-6.49 **	-5.43 **	-5.43 **		
MRC1358 X BML5	-9.88 **	-17.53 **	-7.45 **	-9.70 **	-11.83 **	-9.84 **	-16.90 **	-7.81 **	-9.40 **	-11.44 **	-1.48	-7.83 **	-4.14 **	-4.49 **	-3.41 **	-3.41 **		
MRC1358 X BML7	0.82	-6.30 **	1.66	-0.81	-3.16 **	-0.68	-7.25 **	0.00	-1.73	-3.94 **	-3.13 **	-11.45 **	-3.13 **	-3.50 **	-2.40 **	-2.40 **		
MRC1358 X BML13	0.00	-3.32 **	-3.52 **	-5.86 **	-8.09 **	-1.21	-4.13 **	-4.69 **	-6.33 **	-8.44 **	-0.58	-7.09 **	-3.13 **	-3.50 **	-2.40 **	-2.40 **		
MRC1358 X BML14	-12.09 **	-18.44 **	-11.18 **	-13.33 **	-15.38 **	-11.82 **	-17.72 **	-11.13 **	-12.67 **	-14.63 **	-5.34 **	-12.46 **	-6.64 **	-6.99 **	-5.93 **	-5.93 **		
MRC1544 X BML5	-9.42 **	-22.14 **	-12.63 **	-14.77 **	-17.07 **	-14.07 **	-20.95 **	-12.30 **	-13.82 **	-15.76 **	-3.94 **	-5.62 **	-4.26 **	-4.62 **	-3.54 **	-3.54 **		
MRC1544 X BML7	-9.86 **	-16.22 **	-9.11 **	-11.31 **	-13.41 **	-9.82 **	-15.94 **	-9.38 **	-10.94 **	-12.95 **	-5.5 **	-12.49 **	-4.26 **	-4.62 **	-3.54 **	-3.54 **		
MRC1544 X BML13	-4.29 **	-7.47 **	-7.66 **	-9.90 **	-12.03 **	-4.26 **	-7.27 **	-7.81 **	-9.40 **	-11.44 **	-2.28 **	-7.45 **	-3.51 **	-3.87 **	-2.78 **	-2.78 **		
MRC1544 X BML14	-17.21 **	-23.19 **	-16.36 **	-18.38 **	-20.32 **	-16.50 **	-22.24 **	-16.02 **	-17.47 **	-19.32 **	-7.46 **	-13.28 **	-7.52 **	-7.87 **	-6.82 **	-6.82 **		
MRC1556 X BML5	-12.53 **	-20.11 **	-10.35 **	-12.53 **	-14.66 **	-12.18 **	-19.37 **	-10.55 **	-12.09 **	-14.07 **	-4.50 **	-9.28 **	-5.64 **	-5.99 **	-4.92 **	-4.92 **		
MRC1556 X BML7	-3.70	-10.69	-3.11 *	-5.45 **	-7.69 **	-3.41	-10.14	-3.13 **	-4.80 **	-6.94 **	-1.60 *	-8.71	-0.13	-0.50	-0.63	-0.63		
MRC1556 X BML13	-0.65	-4.15 **	-4.35 **	-6.67 **	-8.88 **	-0.61	-3.93 **	-4.49 **	-6.14 **	-8.26 **	-5.77 **	-1.75 *	-2.12 *	-2.12 *	-1.01	-1.01		
MRC1556 X BML14	-14.78 **	-21.1 **	-14.08 **	-16.16 **	-18.15 **	-14.20 **	-20.43 **	-14.06 **	-15.55 **	-17.45 **	-8.01 **	-13.63 **	-7.89 **	-8.24 **	-7.2 **	-7.2 **		
MRC1561 X BML5	-13.56 **	-15.31 **	-4.97 **	-7.27 **	-9.47 **	-12.65 **	-14.26 **	-4.88 **	-6.53 **	-8.63 **	-6.91 **	-7.90 **	-2.13	-2.50 **	-1.39	-1.39		
MRC1561 X BML7	-10.15 **	-10.50 **	-2.90 *	-5.25 **	-7.50 **	-10.65 **	-11.05 **	-4.10 **	-5.76 **	-7.88 **	-9.82 **	-11.11 **	-2.76 **	-3.12 **	-2.02 *	-2.02 *		
MRC1561 X BML13	-4.99 **	-8.46 **	-3.84 **	-6.11 **	-8.44 **	-4.55 **	-7.86 **	-1.56	-3.26	-5.44 **	-4.52 **	-5.42 **	-0.50	-0.72	-1.26	-1.26		
MRC1561 X BML14	-14.91 **	-15.40 **	-7.87 **	-10.10 **	-12.23 **	-14.47 **	-17.62 **	-2.11 **	-11.26 **	-10.54 **	-4.76 **	-5.12 **	-4.04 **	-4.04 **	-3.05	-3.05		
MRC1564 X BML5	-8.00 **	-16.24 **	-6.00 **	-8.28 **	-10.45 **	-6.73 **	-14.61 **	-5.27 **	-6.91 **	-9.01 **	-2.58 **	-6.87 **	-3.13 **	-3.49 **	-2.40 **	-2.40 **		
MRC1564 X BML7	-5.06 **	-12.21 **	-4.76 **	-7.07 **	-9.27 **	-4.69 **	-11.59 **	-6.33 **	-8.44 **	-5.52 **	-11.8 **	-3.51 **	-3.87 **	-2.78 **	-2.78 **	-2.78 **		
MRC1564 X BML13	0.97	-2.90 *	-3.11 *	-5.45 **	-7.69 **	0.51	-3.14 **	-5.37 **	-7.50 **	-10.07	-5.53 **	-1.50	-1.87 *	-0.76	-0.76	-0.76		

Cross	Plant height			Ear height			Ear length								
Heterosis	Heterobeltiosis	DH-M-117	30V92	900M Gold	Heterosis	Heterobeltiosis	DH-M-117	30V92	900M Gold	Heterosis	Heterobeltiosis	DH-M-117	30V92	900M Gold	
MRC1112XBM15	28.87 **	12.18 **	-22.59 **	-13.16 **	8.81 **	55.70 **	49.90 **	-24.74 **	-9.84 *	-7.18	41.63 **	29.92 **	7.14 *	3.77	19.57 **
MRC1112XBM17	59.02 **	15.52 **	-20.29 **	-10.57 **	6.10 *	125.54 **	71.84 **	-13.72 **	3.36	6.41	50.00 **	25.20 **	3.25	0.00	15.22 **
MRC1112XBM13	17.81 **	7.05 **	-26.13 **	-17.13 **	-12.98 **	46.46 **	43.27 **	-28.07 **	-13.82 **	-11.28 **	53.21 **	31.50 **	8.44 *	5.03	21.01 **
MRC1112XBM14	44.43 **	8.83 **	-24.9 **	-15.75 **	-11.53 **	60.95 **	39.96 **	29.73 **	-15.82 **	-13.33 **	48.57 **	22.83 **	1.30	-1.89	13.04 **
MRC1123XBM15	39.03 **	28.46 **	-22.54 **	-13.10 **	8.75 **	46.61 **	42.51 **	-33.78 **	-18.33 **	-18.07 **	50.00 **	38.10 **	12.99 **	9.43 **	26.09 **
MRC1123XBM17	79.07 **	35.94 **	-18.03 **	-8.05 **	3.44	163.70 **	110.90 **	-7.48 *	10.83 **	47.87 **	23.81 **	1.30	-1.89	13.04 **	
MRC1123XBM13	51.71 **	11.48 **	-0.69	4.28	110.63 **	101.52 **	3.22	15.94 **	19.36 **	68.66 **	45.24 **	18.83 **	15.09 **	32.61 **	
MRC1123XBM14	67.1 **	32.03 **	-20.39 **	-10.69 **	6.22 *	76.89 **	63.27 **	-28.38 **	-14.20 **	-11.67 **	60.77 **	33.33 **	9.09 **	5.66	21.74 **
MRC1176XBM15	32.71 **	14.87 **	-19.67 **	-9.89 **	5.37	56.62 **	41.04 **	-18.19 **	-1.98	0.90	12.59 **	7.32 *	-1.30	4.40	10.14 **
MRC1176XBM17	98.68 **	43.74 **	0.51	12.76 **	18.41 **	221.58 **	133.69 **	35.55 **	62.39 **	67.18 **	33.33 **	1.22	7.79 *	4.40	20.29 **
MRC1176XBM13	46.96 **	32.75 **	-7.17 **	4.14	9.35 **	92.75 **	76.16 **	2.18	22.42 **	26.03 **	34.12 **	4.27	11.04 **	7.55 *	23.91 **
MRC1176XBM14	48.73 **	11.58 **	-21.98 **	-12.47 **	8.09 **	64.15 **	34.59 **	-21.93 **	-6.48	3.72	15.79 **	-12.80 **	-7.14 *	-10.06 **	3.62
MRC1179XBM15	24.57 **	6.72 *	23.51 **	-14.42 **	9.90 **	13.64 **	7.45	-31.6 **	-18.06 **	-15.64 **	16.6 **	1.31	-1.95	-5.03	9.42 *
MRC1179XBM17	60.08 **	14.94 **	-17.62 **	-7.59 **	-2.96	68.67 **	14.35 **	-15.40 **	1.25	4.23	15.97 **	-9.80 **	-10.39 **	-13.21 **	0.00
MRC1179XBM13	6.80 **	4.57	-31.61 **	-23.28 **	-19.43 **	16.62 **	3.80	-28.90 **	-14.82 **	-12.31 **	36.88 **	9.15 **	8.44 *	5.03	21.01 **
MRC1179XBM14	39.96 **	4.15	-25.36 **	-16.26 **	-12.07 **	14.79 **	-13.78 **	-36.28 **	-23.66 **	-21.41 **	20.34 **	-7.19 *	-7.79 *	-10.69 **	2.90
MRC1179XBM15	42.34 **	37.80 **	-24.74 **	-15.57 **	-11.35 **	58.28 **	56.15 **	-27.44 **	-13.08 **	-10.51 **	29.27 **	13.57 **	3.25	0.00	15.22 **
MRC1209XBM17	97.14 **	54.97 **	-15.37 **	-5.06	0.30	129.65 **	81.61 **	-17.88 **	-1.62	1.28	41.33 **	13.57 **	3.25	0.00	15.22 **
MRC1209XBM13	39.18 **	36.97 **	-22.75 **	-13.33 **	8.99 **	70.35 **	65.37 **	-20.58 **	-4.86	-2.05	34.2 **	10.71 **	0.65	-2.52	12.32 **
MRC1209XBM14	62.72 **	33.49 **	-27.10 **	-18.22 **	-14.12 **	67.17 **	52.18 **	-31.19 **	-17.56 **	-15.13 **	37.22 **	9.29 *	-0.65	3.77	10.87 **
MRC1271XBM15	41.41 **	26.48 **	-18.03 **	8.05 **	3.44	62.61 **	24.95 **	-10.09 *	-7.44	24.30 **	9.29 *	-0.65	3.77	10.87 **	
MRC1271XBM17	80.69 **	13.91 **	-13.22 **	-2.64	13.23	85.26 **	-15.95 **	1.74	4.74	30.67 **	5.00	-4.55	-7.55 *	6.52	
MRC1271XBM13	40.74 **	31.62 **	-14.70 **	-4.31	0.48	82.06 **	77.92 **	-14.55 **	2.37	5.38	39.38 **	15.00 **	4.55	1.26	16.67 **
MRC1271XBM14	60.68 **	23.72 **	-19.83 **	-10.06 **	-5.55 *	69.42 **	53.29 **	-29.73 **	-15.82 **	2.86	28.6	-6.49	-9.43 **	4.35	
MRC1358XBM15	45.36 **	34.73 **	-19.31 **	-9.48 **	-4.95	57.10 **	54.55 **	-25.78 **	-8.46 *	41.07 **	33.90 **	2.60	-0.63	14.49 **	
MRC1358XBM17	89.99 **	44.57 **	-13.42 **	-2.87	1.99	117.34 **	68.18 **	-19.23 **	-3.24	-0.38	33.99 **	15.25 **	-11.69 **	-14.47 **	-1.45

\* Significant at 5% level; \*\* Significant at 1% level

Heterosis for grain yield and its components in maize inbreds over environments

MRC-1358 X BML-13	64.58 **	59.79 **	-4.30	7.36 **	12.73 **	84.85 **	84.85 **	-11.23 **	6.35	9.49 *	65.55 **	46.61 **	12.34 ***	8.81 **	25.36 ***
MRC-1358 X BML-14	65.23 **	30.88 **	-21.62 **	-12.07 **	-7.66 **	65.81 **	46.97 **	-29.42 **	-15.44 **	-12.95 **	48.26 **	26.27 **	-3.25	-6.29	7.97 *
MRC-1544 X BML-5	26.81 **	15.35 **	-28.02 **	-19.25 **	-15.21 **	20.31 **	17.58 **	-33.26 **	-20.05 **	-17.69 **	17.19 **	-2.60	-5.66	8.70 *	
MRC-1544 X BML-7	73.30 **	30.05 **	-18.85 **	-8.97 **	-4.41	113.27 **	56.04 **	-11.43 **	6.10	9.23 *	26.81 **	-0.67	-3.25	-6.29	7.97 *
MRC-1544 X BML-13	41.27 **	34.48 **	-16.09 **	-5.86 *	-1.15	65.08 **	52.38 **	-13.51 **	3.61	6.67	36.1 **	9.33 **	6.49	3.14	18.84 **
MRC-1544 X BML-14	43.5 **	11.99 **	-30.12 **	-21.61 **	-17.68 **	32.23 **	9.34	-37.94 **	-25.65 **	21.03 **	-6.00	-8.44 *	-11.32 **	2.17	
MRC-1556 X BML-5	38.3 **	24.58 **	-20.54 **	-10.86 **	-6.4 *	38.04 **	27.12 **	-29.83 **	-15.94 **	-13.46 **	2.11	-5.84	-8.81 **	5.07	
MRC-1556 X BML-7	60.86 **	19.84 **	-23.57 **	-14.25 **	-9.96 **	103.83 **	50.47 **	-16.94 **	-0.50	2.44	25.11 **	0.00	-7.79 *	-10.68 **	2.90
MRC-1556 X BML-13	36.06 **	28.19 **	-18.24 **	-8.28 **	-3.68	52.06 **	42.18 **	-21.52 **	-5.98	-3.21	43.35 **	17.61 **	8.44 *	5.03	21.01 **
MRC-1556 X BML-14	56.12 **	20.88 **	-22.9 **	-13.51 **	-9.17 **	41.89 **	18.64 **	-34.51 **	-21.54 **	-19.23 **	20.89 **	4.23	-11.60 **	-14.47 **	-1.45
MRC-1561 X BML-5	45.24 **	33.73 **	-18.75 **	-8.85 **	-4.28	59.86 **	33.33 **	-7.28 *	11.08 **	14.36 **	35.59 **	19.42 **	7.79 *	4.40	20.20 **
MRC-1561 X BML-7	88.64 **	42.83 **	-13.22 **	-2.64	2.23	93.93 **	33.63 **	-7.07 *	11.33 **	14.62 **	26.79 **	2.16	-7.79 *	-10.69 **	2.90
MRC-1561 X BML-13	61.08 **	55.31 **	-5.64 *	5.86 *	11.16 **	67.79 **	12.95 **	18.31 **	36.52 **	12.95 **	1.95	-1.26	13.77 **		
MRC-1561 X BML-14	65.97 **	30.78 **	-20.54 **	-10.86 **	-6.40 *	64.72 **	26.31 **	-12.16 **	5.23	8.33 *	38.74 **	10.79 **	0.00	-3.14	11.59 **
MRC-1564 X BML-5	28.35 **	16.63 **	-27.05 **	-18.16 **	-14.06 **	10.83 *	-7.61	35.65 **	-22.91 **	-20.64 **	26.58 **	14.50 **	-2.60	-5.66	8.70 *
MRC-1564 X BML-7	81.32 **	35.95 **	-14.96 **	-4.60	0.18	83.53 **	26.42 **	-11.95 **	5.48	8.59 *	35.19 **	11.45 **	-5.19	-8.18 *	5.80
MRC-1564 X BML-13	28.46 **	23.1 **	-13.62 **	9.28 **	29.51 **	94.40 *	23.80 **	-8.72 *	-6.03	32.43 **	12.21 **	-4.55	-7.55 *	6.52	
MRC-1564 X BML-14	44.75 **	12.86 **	-29.41 **	-20.8 **	-16.84 **	11.59 *	-14.48 **	40.44 **	-28.64 **	-26.54 **	37.78 **	7.63	-8.44 *	-11.32 **	2.17
MRC-1582 X BML-5	30.04 **	11.07 **	-19.83 **	-10.06 **	-5.55 *	36.48 **	21.75 **	-27.88 **	-13.57 **	-11.03 **	19.07 **	1.32	-3.77	10.87 **	
MRC-1582 X BML-7	43.64 **	2.91	-25.72 **	-16.67 **	-12.49 **	63.55 **	18.07 **	-30.04 **	-16.19 **	-13.72 **	25.42 **	-1.99	-3.90	-6.92 *	7.25
MRC-1582 X BML-13	23.59 **	10.08 **	-20.54 **	-10.86 **	-6.4 *	35.66 **	22.81 **	-27.23 **	-12.83 **	-10.26 *	35.54 **	8.61 *	6.49	3.14	18.84 **
MRC-1582 X BML-14	46.27 **	8.59 **	-21.62 **	-12.07 **	-7.68 **	39.81 **	13.68 **	-32.64 **	-19.30 **	-16.92 **	23.08 **	-4.64	-6.49	-9.43 **	4.35
MRC-1601 X BML-5	36.00 **	34.28 **	-29.56 **	-20.98 **	-17.02 **	53.91 **	53.91 **	-28.48 **	-14.32 **	-11.79 **	19.50 **	6.67	-6.49	9.43 **	4.35
MRC-1601 X BML-7	95.10 **	55.66 **	-18.34 **	-8.39 **	-3.80	116.00 **	69.13 **	-21.41 **	-5.85	-3.08	28.18 **	4.44	-8.44 *	-11.32 **	2.17
MRC-1601 X BML-13	40.89 **	35.97 **	-23.31 **	-13.97 **	-9.96 **	65.46 **	62.77 **	-21.83 **	-6.35	-3.59	36.28 **	14.07 **	0.00	-3.14	11.59 **
MRC-1601 X BML-14	54.66 **	28.91 **	-32.38 **	-24.14 **	-20.34 **	56.22 **	40.49 **	-34.72 **	-21.79 **	-19.49 **	22.94 **	-0.74	-12.99 **	-15.72 **	-2.90
MRC-1604 X BML-5	61.00 **	51.91 **	-12.45 **	-1.78	3.14	64.85 **	39.02 **	-5.93	12.70 **	16.03 **	33.05 **	22.05 **	0.65	-2.52	12.32 **
MRC-1604 X BML-7	101.73 **	55.56 **	-10.35 **	0.57	5.61 *	95.13 **	35.48 **	-8.32 *	9.84 *	13.08 **	52.83 **	27.56 **	5.19	1.89	17.38 **
MRC-1604 X BML-13	53.19 **	51.56 **	-12.65 **	-2.01	2.90	67.30 **	43.01 **	-3.22	15.94 **	19.36 **	51.38 **	29.92 **	7.14 *	3.77	19.57 **
MRC-1604 X BML-14	83.74 **	47.64 **	-14.91 **	-4.54	0.24	70.63 **	32.10 **	-10.60 **	7.10	10.26 *	41.93 **	17.32 **	-6.29	7.97 *	
MRC-1661 X BML-5	37.56 **	24.67 **	-21.57 **	-12.01 **	-7.60 **	60.02 **	62.86 **	-24.32 **	-9.34 *	-6.67	26.05 **	13.64 *	-2.60	-5.66	8.70 *
MRC-1661 X BML-7	64.09 **	22.8 **	-22.75 **	-13.33 **	-8.99 **	130.75 **	83.26 **	-18.09 **	-1.87	1.03	27.19 **	4.55	-10.39 **	-13.21 **	0.00
MRC-1661 X BML-13	37.66 **	30.54 **	-17.88 **	-7.87 **	-3.26	97.98 **	91.13 **	-8.21 *	9.96 *	13.21 **	38.12 **	16.67 **	0.00	-3.14	11.59 **
MRC-1661 X BML-14	55.42 **	20.93 **	-23.92 **	-14.66 **	-10.38 **	73.32 **	58.66 **	-29.11 **	-15.07 **	-12.56 **	30.23 **	6.06	-9.09 **	-11.95 **	1.45

\* Significant at 5% level; \*\* Significant at 1% level

TABLE 3: Estimates of heterosis, heterobeltiosis and standard heterosis pooled over locations for ear girth, number of kernel rows per ear and number of kernels per row in maize hybrids

Cross	Ear girth			Number of kernel rows per ear						Number of kernels per row						
				Standard heterosis			Standard heterosis			Heterobeltiosis			Standard heterosis			
	Heterosis	Hetero beltiosis	DHM-117	30V92	900MGold	Heterosis	Hetero beltiosis	DHM-117	30V92	900MGold	Heterosis	Hetero beltiosis	DHM-117	30V92	900MGold	
MRC1112XBML5	35.03 **	11.76 **	-6.99 **	0.75	-1.48	48.98 **	24.79 **	282	6.57 **	0.00	39.81 **	-3.21	4.13	4.73	-5.03	
MRC1112XBML7	27.36 **	7.56 *	-10.40 **	-4.48	-5.19	43.72 **	22.22 **	0.70	4.38	-2.05	54.96 **	2.56	1.59	0.95	0.63	
MRC1112XBML13	23.36 **	10.92 **	-7.69 **	-1.49	-2.22	43.72 **	22.22 **	0.70	4.38	-2.05	60.2 **	4.49	3.49	2.84	2.52	
MRC1112XBML14	17.87 **	2.52	-14.69 **	8.96 **	-9.63 **	27.36 **	15.38 **	-4.93 *	-1.46	-7.53 **	33.02 **	-9.62 **	-10.48 **	-11.04 **	-11.32 **	
MRC1123XBML5	54.19 **	36.63 **	-3.50	2.99	2.22	58.76 **	33.91 **	8.45 **	12.41 **	5.48 *	70.8 **	27.57 **	-1.59	2.21	-2.52	
MRC1123XBML7	53.01 **	38.61 **	-2.10	4.48	3.70	48.22 **	26.96 **	282	6.57 **	0.00	92.44 **	36.21 **	5.08	4.42	4.09	
MRC1123XBML13	48.98 **	44.55 **	2.10	8.96 **	8.15 **	50.25 **	28.70 **	423	8.03 **	1.37	107.1 **	44.03 **	11.11 **	10.41 **	10.06 **	
MRC1123XBML14	49.21 **	39.6 **	-1.40	5.22	4.44	41.9 **	29.57 **	4.93 *	8.76 **	2.05	65.07 **	20.58 **	6.98 *	-7.57 *	-7.86 **	
MRC1176XBML5	28.78 **	3.94	-7.69 **	-1.49	-2.22	14.93 **	-10.56 **	-7.30 **	-13.01 **	52.38 **	6.67 *	1.59	0.95	0.63		
MRC1176XBML7	37.8 **	13.39 **	0.70	7.46 **	6.67 *	0.70	4.38	-2.05	2.05	72.57 **	15.33 **	9.84 **	9.15 **	8.81 **		
MRC1176XBML13	27.93 **	11.81 **	-0.70	5.97 *	5.19	23.21 **	-2.82	0.73	5.48 *	73.16 **	14.00 **	8.57 **	7.89 **	7.55 *		
MRC1176XBML14	14.42 **	-3.15	-13.99 **	-8.21 **	-8.89 **	-0.42	-16.9 **	-16.9 **	-19.18 **	46.6 **	0.67	4.13	4.73	-5.03		
MRC1179XBML5	27.36 **	4.07	-10.40 **	-4.48	-5.19	38.29 **	10.4 **	-2.82	0.73	5.48 *	56.41 **	12.96 **	3.17	3.79	4.09	
MRC1179XBML7	30.73 **	8.94 **	-6.29 *	0.00	-0.74	16.10 **	16.00 **	2.11	5.84 *	0.68	63.34 **	12.12 **	3.81	4.42	4.72	
MRC1179XBML13	22.61 **	2.50	2.99	36.23 **	12.80 **	-0.70	2.92	-3.42	83.56 **	24.07 **	6.35 *	5.68	5.35			
MRC1179XBML14	13.74 **	-2.44	-16.08 **	-10.45 **	-1.11 **	19.09 **	4.80	-7.75 **	-4.38	-10.27 **	44.50 **	2.22	-12.38 **	-12.93 **	-13.21 **	
MRC1209XBML5	46.82 **	33.68 **	-11.19 **	-5.22	-5.93 *	41.62 **	23.58 **	7.75 **	4.38	-10.27 **	95.39 **	61.41 **	-5.71	-6.31 *	-6.60 *	
MRC1209XBML7	59.32 **	48.42 **	-1.40	5.22	4.44	40.43 **	24.53 **	-7.04 **	-3.65	-9.59 **	137.19 **	83.7 **	7.30 *	6.62 *	6.29 *	
MRC1209XBML13	37.89 **	37.89 **	-2.24	2.36	4.48 *	28.3 **	4.23 **	-14.23 **	-1.73	-6.85 **	128.67 **	73.37 **	1.27	0.63	0.31	
MRC1209XBML14	28.96 **	24.12 **	-17.48 **	-11.94 **	-12.59 **	21.59 **	10.95 **	-16.44 **	96.62 **	58.62 **	58.62 **	-7.62 *	8.20 **	-8.49 **		
MRC1271XBML5	41.18 **	-7.69 **	-1.49	-2.22	4.24	24.41 **	21.43 **	4.23	-0.73	6.85 **	68.12 **	28.89 **	-7.94 **	-8.52 **	-8.81 **	
MRC1271XBML7	39.27 **	22.02 **	-6.99 **	-0.75	-1.48	37.11 **	18.75 **	6.34 **	-2.92	8.90 **	85.89 **	34.67 **	3.81	4.42	4.72	
MRC1271XBML13	30.39 **	22.02 **	-6.99 **	-0.75	-1.48	36.08 **	17.86 **	-7.04 **	-3.65	-9.59 **	90.63 **	35.56 **	-3.17	-3.79	-4.09	
MRC1271XBML14	24.87 **	12.84 **	-8.21 **	-8.89 **	22.71	13.39 **	-10.56 **	-7.30 **	-13.01 **	61.42 **	20.89 **	-13.65 **	-14.2 **	-14.47 **		
MRC1358XBML5	40.91 **	26.53 **	-13.29 **	-7.46 **	8.15 **	45.74 **	3.52	0.00	6.16 **	51.94 **	10.11 **	6.67 *	7.26 *	7.55 *		
MRC1358XBML7	53.33 **	-3.50	2.22	32.27 **	22.02 **	-6.34 **	-2.92	-8.90 **	65.76 **	14.23 **	3.37	-3.79	-4.09			
MRC1358XBML13	41.97 **	39.80 **	4.20	1.48	47.64 **	29.36 **	-0.70	2.92	3.42	80.66 **	22.47 **	3.81	3.15	2.83		
MRC1358XBML14	22.58 **	16.33 **	-20.28 **	-14.93 **	-15.56 **	24.51 **	16.61 **	-10.56 **	-7.30 **	-13.01 **	45.65 **	3.37	-12.38 **	-12.93 **	-13.21 **	
MRC1544XBML5	17.59 **	-7.97 **	-11.19 **	-5.22	-5.93 *	36.27 **	11.20 **	-2.11	1.46	4.79 *	42.86 **	2.94	-11.11 **	-11.67 **	-11.95 **	
MRC1544XBML7	20.91 **	-3.62	-6.99 **	-0.75	-1.48	43.00 **	18.40 **	4.23	8.03 **	1.37	65.15 **	13.24 **	-2.22	2.84	3.14	
MRC1544XBML13	12.45 **	-5.07	-8.39 **	-2.24	2.99	12.40 **	8.80 **	-4.23	-0.73	-6.85 **	66.76 **	12.50 **	-2.86	-3.47	-3.77	
MRC1544XBML14	6.19 **	-13.04 **	-16.08 **	-10.45 **	-1.11 **	18.18 **	4.00	-8.45 **	-5.11 *	-10.86 **	36.46 **	-3.68	-16.83 **	-17.35 **	-17.61 **	
MRC1556XBML5	37.37 **	13.33 **	-4.9	1.49	0.74	57.45 **	35.78 **	4.23	8.03 **	1.37	57.76 **	13.35 **	-1.59	-2.21	-2.52	
MRC1556XBML7	30.69 **	10.00 **	-7.69 **	-1.49	-2.22	48.69 **	30.28 **	0.00	3.65	-2.74	71.12 **	17.22 **	1.59	0.95	0.63	
MRC1556XBML13	26.51 **	13.33 **	-4.90	0.74	36.13 **	19.27 **	-8.45 **	-5.11 *	-10.86 **	75 **	17.95 **	2.22	1.58	1.26		
MRC1556XBML14	22.12 **	5.83	-11.19 **	-5.22	-5.93 *	32.24 **	29.36 **	-0.70	3.42	53.77 **	8.42 *	-6.03 *	-6.62 *	-6.92 *		
MRC1561XBML5	41.84 **	17.8 **	3.73	3.73	37.25 **	12.00 **	-1.41	2.19	4.11	10.00 **	47.06 **	19.05 **	18.3 **	17.92 **		
MRC1561XBML7	31.00 **	11.02 **	-8.39 **	-2.24	-2.96	26.57 **	4.80	-7.75 **	-4.38	-10.27 **	66.85 **	16.47 **	5.71	6.31 *	6.6 *	
MRC1561XBML13	24.88 **	12.71 **	-6.99 **	-0.75	-1.48	24.64 **	3.20	-9.15 **	-5.84 *	-11.64 **	82.29 **	25.10 **	1.27	0.63	0.31	
MRC1561XBML14	26.21 **	10.17 **	-9.09 **	-2.99	3.70	20.00 **	5.60 *	-7.04 **	-3.66	-9.59 **	94.55 **	40 **	13.33 **	12.62 **	12.26 **	
MRC1564XBML5	29.29 **	6.67 **	-10.49 **	-4.48	-5.19	26.67 **	1.53	-6.34 **	-2.92	-8.90 **	64.77 **	22.09 **	-3.49	4.10	4.40	
MRC1564XBML7	29.17 **	9.17 **	-8.39 **	-2.24	-2.96	23.94 **	0.76	-7.04 **	-3.65	-9.59 **	76.00 **	23.69 **	-2.84	-3.14		
MRC1564XBML13	16.28 **	4.17	-12.59 **	-6.72 *	-7.41 **	10.8 **	-9.92 **	-13.87 **	-19.18 **	71.51 **	18.47 **	-6.35 *	-6.94 *	-7.23 *		
MRC1564XBML14	14.42 **	-0.83	-11.19 **	-11.85 **	-9.73 **	-5.34 *	-12.68 **	-15.07 **	-14.86 **	58.45 **	14.86 **	-9.21 **	-9.78 **	-10.06 **		

Heterosis for grain yield and its components in maize inbreds over environments

TABLE 4: Estimates of heterosis, heterobeltiosis and standard heterosis pooled over locations for 100 seed weight and grain yield per plant in maize hybrids

Cross	100 seed weight						Grain yield per plant					
	Standard heterosis			Standard heterosis			Standard heterosis			Standard heterosis		
	Heterosis	Hetero beltiosis	DH-M117	30V92	900M Gold	Heterosis	Hetero beltiosis	DH-M117	30V92	900M Gold		
MRC11582 X BML5	28.21 **	6.94 *	-12.59 **	6.72 *	-7.41 **	20.7 **	6.50 *	-7.75 **	-4.38	-10.27 **	54.27 ***	15.23 ***
MRC11582 X BML7	27.64 **	8.55 **	-11.19 **	5.22	-5.93 *	27.8 **	6.50 *	-7.75 **	-4.38	-10.27 **	61.63 **	14.40 ***
MRC11582 X BML13	20.75 **	9.40 **	-10.49 **	-4.48	-5.19	21.95 **	-6.50 *	-11.97 **	-8.76 **	-10.85 **	-14.38 **	73.37 **
MRC11582 X BML14	14.15 **	0.00	-18.18 **	-12.69 **	-13.33 **	11.93 **	-0.81	-14.08 **	-16.44 **	47.61 **	7.82 *	-16.83 **
MRC11601 X BML5	32.99 **	11.21 **	-9.79 **	-3.73	-4.44	54.17 **	30.97 **	42.3	1.37	28.82 **	-7.89 *	-18.41 **
MRC11601 X BML7	32.32 **	12.93 **	-8.39 **	-2.24	-2.96	57.96 **	36.28 **	8.45 **	12.41 **	52.11 **	3.58	-8.25 **
MRC11601 X BML13	29.86 **	18.10 **	-4.20	2.24	1.48	45.64 **	25.66 **	0.00	3.65	55.61 **	4.30	-7.62 *
MRC11601 X BML14	19.61 **	5.17	-14.68 **	-8.96 **	-9.63 **	36.54 **	25.66 **	0.00	3.65	22.25 **	-14.34 **	-24.13 **
MRC11604 X BML5	30.77 **	4.62	-4.90	1.49	0.74	19.11 **	-8.22 **	-5.63 *	-2.19	80.11 **	32.94 **	6.35 *
MRC11604 X BML7	24.53 **	1.54	-7.69 **	-1.49	-2.22	14.04 **	-10.96 **	8.46 **	-5.11 *	10.96 **	97.73 **	38.49 **
MRC11604 X BML13	12.89 **	-2.31	-11.19 **	-5.22	-5.93 *	43.9	-18.49 **	-16.2 **	-13.14 **	78.10 **	22.62 **	-1.90
MRC11604 X BML14	20.18 **	0.77	-8.39 **	-2.24	-2.96	12.03 **	-7.53 **	-4.93 *	-1.46	74.18 **	25.79 **	0.63
MRC11601 X BML5	32.00 **	8.20 **	-1.49	-2.22	51.32 **	30.90 **	0.70	4.38	47.34 **	8.20 *	-12.06 **	-12.62 **
MRC11601 X BML7	28.43 **	7.38 *	-8.39 **	-2.24	-2.96	50.00 **	30.91 **	1.41	-1.37	41.74 **	-1.17	-19.68 **
MRC11601 X BML13	26.27 **	12.3 **	-4.20	2.24	1.48	40.63 **	22.73 **	4.93 *	-1.46	7.53 **	59.54 **	9.38 *
MRC11601 X BML14	17.14 **	0.82	-13.99 **	-8.21 **	-8.89 **	30.73 **	21.82 **	-5.63 *	-2.19	-8.22 **	40.22 **	0.78
												-18.10 **
												-18.61 **
												-18.87 **

\* Significant at 5% level; \*\* Significant at 1% level

Cross	100 seed weight						Grain yield per plant					
	Standard heterosis			Standard heterosis			Standard heterosis			Standard heterosis		
	Heterosis	Hetero beltiosis	DH-M117	30V92	900M Gold	Heterosis	Hetero beltiosis	DH-M117	30V92	900M Gold		
MRC1112 X BML5	2.82	-14.44 **	-6.69 **	-2.47	5.80 **	52.96 **	3.12	2.68	2.37	8.07 *		
MRC1112 X BML7	-9.16 **	-17.69 **	-10.24 **	-6.17 **	1.79	56.05 **	9.99 **	3.81	9.19 **	15.27 **		
MRC1112 X BML13	-0.40	-10.83 **	-2.76	1.65	10.27 **	74.86 **	13.20 **	6.83 *	12.37 **	18.64 **		
MRC1112 X BML14	-3.91 *	-20.22 **	-12.99 **	-9.05 **	-1.34	52.08 **	3.85	-1.99	3.09	8.84 *		
MRC1112 X BML5	15.63 **	-1.89	1.97	6.58 **	15.63 **	98.47 **	39.83 **	12.37 **	18.2 **	24.78 **		
MRC1112 X BML7	14.52 **	6.06 **	10.24 **	15.23 **	25.00 **	100.44 **	48.44 **	19.29 **	25.48 **	32.47 **		
MRC1112 X BML13	20.91 **	10.61 **	14.96 **	20.16 **	30.36 **	145.17 **	65.34 **	32.87 **	39.76 **	47.55 **		
MRC1112 X BML14	14.99 **	-2.65	1.18	5.76 **	14.73 **	108.13 **	48.76 **	19.55 **	25.75 **	32.76 **		
MRC1116 X BML5	-11.29 **	-30.22 **	-11.81 **	-7.82 **	0.00	40.83 **	-6.13	-7.35 **	-2.55	2.88		
MRC1116 X BML7	-0.37	-15.26 **	7.09 **	11.93	21.43 **	72.80 **	20.25 **	18.69 **	24.84 **	31.80 **		
MRC1116 X BML13	0.37	-15.58 **	6.69 **	11.52 **	20.98 **	83.75 **	17.97 **	16.44 **	22.47 **	29.30 **		
MRC1116 X BML14	-18.25 **	-35.83 **	-18.39 **	-15.23 **	-8.04 **	39.35 **	5.96	-7.18 *	-2.37	3.07		
MRC1119 X BML5	-7.85 **	-25.67 **	-12.22 **	-8.23 **	-0.45	31.72 **	-11.40 **	-15.4 **	-11.01 **	-6.05		
MRC1119 X BML7	-10.86 **	-22.00 **	-7.87 **	-3.70	4.46 *	43.94 **	1.09	-3.37	1.64	7.30 *		
MRC1119 X BML13	-2.50	-15.67 **	-0.39	4.12 *	12.95 **	65.99 **	7.33 *	2.60	7.92 *	13.93 **		
MRC1119 X BML14	-14.07 **	-31.33 **	-18.90 **	-15.23 **	-8.04 **	80.79 **	-11.67 **	-15.57 **	-11.19 **	-6.24		
MRC1120 X BML5	9.69 **	-7.78 **	-1.97	2.47	11.16 **	97.44 **	46.14 **	0.00	5.19	11.05 **		
MRC1120 X BML7	-7.47 **	-15.19 **	-9.84 **	-5.76 **	2.23	88.21 **	47.28 **	0.78	6.01	11.91 **		
MRC1120 X BML13	3.48 *	-6.30 **	-0.39	4.12 *	12.95 **	110.76 **	48.55 **	1.64	6.92 *	12.87 **		
MRC1120 X BML14	2.43	-14.07 **	-8.66 **	4.43 *	3.57	92.61 **	44.88 **	0.87	4.28	10.09 **		
MRC1121 X BML5	21.78 **	7.00 **	2.36	7.00	16.07 **	91.64 **	41.79 **	2.85	2.18	7.88 *		
MRC1121 X BML7	5.98 **	2.06	2.36	10.71 **	79.18 **	40.15 **	-3.98	1.00	6.63	23.92 **		
MRC1121 X BML13	19.91 **	13.99 **	9.06 **	13.99 **	23.66 **	62.88 **	11.59 **	17.38 **	2.00	7.68 *		
MRC1121 X BML14	14.08 **	0.00	4.33 *	0.00	8.48 **	88.25 **	41.54 **	3.03				

MRC-1358 X BML5	21.13 **	15.2 **	-7.48 **	3.29	4.91 *	99.07 **	54.11 ***	-7.61 *	2.82	2.59
MRC-1358 X BML7	19.35 **	13.78 **	0.79	5.35 **	14.29 **	100.18 ***	64.65 **	-1.30	3.82	9.61 **
MRC-1358 X BML13	34.75 **	30.14 **	12.20 **	17.28 **	27.23 **	181.02 ***	106.2 **	23.62 **	30.03 **	37.27 **
MRC-1358 X BML14	13.18 **	7.35 **	-13.78 **	9.88 **	-2.23	95.42 **	53.97 **	-7.70 *	-2.91	2.50
MRC-1544 X BML5	-8.85 **	-29.46 **	-6.69 **	2.47	5.80 **	44.03 **	3.72	-6.06	-1.18	4.32
MRC-1544 X BML7	-9.80 **	-24.70 **	-0.39	4.12 *	12.95 **	60.51 **	12.06 **	9.34 **	15.01 **	21.42 **
MRC-1544 X BML13	-4.14 **	-20.83	4.72 *	9.47 **	18.75 **	64.6 **	5.94	3.37	8.74 **	14.79 **
MRC-1544 X BML14	-15.22 **	-34.52 **	-13.39 **	9.47 **	-1.79	42.11 **	-3.81	-6.14	-1.27	4.23 **
MRC-1556 X BML5	-3.85 *	-23.3 **	-6.69 **	-2.47	5.80 **	56.98 **	5.88	-0.26	4.91	10.76 **
MRC-1556 X BML7	-14.98 **	-26.54 **	-10.63 **	-6.58 **	1.34	49.09 **	5.14	0.95	4.19	9.99 **
MRC-1556 X BML13	-14.39 **	-26.88 **	-11.02 **	-7.00 **	0.89	52.30 **	-1.19	-6.32 *	-2.09	3.36
MRC-1556 X BML14	-11.38 **	-29.46 **	-14.17 **	-10.29 **	-2.68	55.11 **	5.97	-0.17	5.00	10.85 **
MRC-1561 X BML5	3.08	-17.16 **	-1.18	3.29	12.05 **	78.10 **	20.09	13.24 **	19.11 **	25.74 **
MRC-1561 X BML7	-9.09 **	-20.79 **	-5.51 **	-1.23	7.14 **	33.51 **	5.87	-11.25 **	-6.64 *	-1.44
MRC-1561 X BML13	-6.90 **	-19.80 **	4.33 *	0.00	8.48 **	65.77 **	7.52 *	1.38	6.64 *	12.58 **
MRC-1561 X BML14	-2.88	-22.11 **	-7.09 **	-2.88	5.36 *	74.21 **	18.99 **	12.2 **	18.02 **	24.59 **
MRC-1564 X BML5	0.41	-19.61 **	-3.15	1.23	9.82 **	42.28 **	4.35	8.14 **	4.00	1.34
MRC-1564 X BML7	5.46 **	-8.50 **	10.24 **	15.23 **	25.00 **	55.74 **	9.43 **	4.41	9.83 **	15.95 **
MRC-1564 X BML13	-1.33	-15.36 **	1.97	6.58 **	15.63 **	50.81 **	-2.45	-6.92 *	-2.09	3.36
MRC-1564 X BML14	-5.93 **	-24.84 **	-9.45 **	-5.35 **	2.68	41.68 **	3.54	-7.96 *	3.18	2.21
MRC-1582 X BML5	-2.84	-25.51 **	1.18	5.76 **	14.73 **	43.09 **	3.96	-7.79 *	3.00	2.40
MRC-1582 X BML7	-14.04 **	-28.99 **	-3.54	0.82	9.38 **	27.3 **	-10.72 **	-14.27 **	-4.80	
MRC-1582 X BML13	-5.32 **	-22.61 **	5.12 **	9.88 **	19.2 **	56.35 **	0.99	3.03	2.00	7.68 *
MRC-1582 X BML14	-9.47 **	-30.72 **	-5.91 **	-1.65	6.70	39.83 **	4.95	-8.74 **	4.00	1.34
MRC-1601 X BML5	4.76 *	-10.12 **	-9.06 **	-4.94 *	3.13	49.16 **	3.12	-11.42 **	-6.82 *	-1.63
MRC-1601 X BML7	-4.15 *	-10.12 **	-9.06 **	-4.94 *	3.13	60.42 **	16.31 **	-0.09	5.10	10.95 **
MRC-1601 X BML13	11.34 **	4.33 *	9.05 **	18.3 **	89.22 **	25.48 **	7.79 *	7.03	13.38 **	19.69 **
MRC-1601 X BML14	-2.27	-16.34 **	-15.35 **	-11.52 **	4.02	48.55 **	2.01	-12.37 **	-7.83 *	-2.69
MRC-1604 X BML5	8.98 **	-12.75 **	5.12 **	9.88 **	19.20 **	77.49 **	19.05 **	14.62 **	20.56 **	27.28 **
MRC-1604 X BML7	0.94	-12.42 **	5.51 **	10.29 **	19.64 **	63.08 **	14.29 **	10.03 **	15.74 **	22.19 **
MRC-1604 X BML13	-3.24 *	-16.99 **	0.00	4.53 *	13.39	67.01 **	7.82 *	3.81	9.19 **	15.27 **
MRC-1604 X BML14	2.25	-18.3 **	-1.57	2.88	11.61 **	72.62 **	17.25 **	12.89 **	18.74 **	25.36 **
MRC-1661 X BML5	7.93 **	-9.26 **	-3.54	0.82	9.38 **	63.77 **	13.70 **	-3.81	1.18	6.82
MRC-1661 X BML7	-5.05 **	-12.96 **	-7.48 **	-3.29	4.91 *	50.18 **	9.41 *	-7.44 *	-2.64	2.79
MRC-1661 X BML13	3.89 *	-5.93 **	0.00	4.53 *	13.39 **	67.9 **	11.76 **	-5.45	5	
MRC-1661 X BML14	-0.22	-16.3 **	-11.02 **	-7.00 **	0.89	61.37 **	13.60 **	1.09	6.72	

\* Significant at 5% level; \*\* Significant at 1% level